<https://helda.helsinki.fi>

Inferring public interest from search engine data requires caution

Correia, Ricardo A.

2019-06

Correia , R A , Di Minin , E , Jaric , I , Jepson , P , Ladle , R , Mittermeier , J , Roll , U , Soriano-Redondo , A & Verissimo , D 2019 , ' Inferring public interest from search engine data requires caution ' , Frontiers in Ecology and the Environment , vol. 17 , no. 5 , pp. 254-255 . <https://doi.org/10.1002/fee.2048>

<http://hdl.handle.net/10138/307451>

<https://doi.org/10.1002/fee.2048>

unspecified

publishedVersion

Downloaded from Helda, University of Helsinki institutional repository.

This is an electronic reprint of the original article.

This reprint may differ from the original in pagination and typographic detail.

Please cite the original version.

Inferring public interest from search engine data requires caution

In a recent communication, Burivalova *et al.* (2018) analyzed Google Trends data with respect to interest in conservation and made two important claims: (1) that public interest in conservation is rising since 2004 and (2) that conservation and climate change-related topics have similar levels of public interest. Their assertions are based on a proposed new method to back-adjust Google Trends data from relative to absolute search volume. Their results contradict those of earlier studies using similar data to claim that public interest in conservation is waning (McCallum and Bury 2013; Troumbis 2017). However, after reproducing Burivalova *et al.*'s analysis and correcting an error in their algorithm, we find that their claims may not hold under scrutiny.

We applaud the effort by Burivalova and colleagues to develop new ways to explore Google Trends data, and we see great potential in their proposed method. However, their assertions rest on implicit assumptions that (1) an observed growth in absolute search volume reflects an increase in public interest and that (2) their method correctly reflects differences in public interest across topics. We reproduced Burivalova *et al.*'s Figure 3 using the same methodology (Figure 1a) and found that their metric was adjusted in relation to the maximum search volume (highest a_i) observed within each topic (Equation 8 and step 6 in their WebFigure 4). This is valid only when analyzing topics individually, because it does not preserve differences in search volume across topics. To preserve such differences using Equation 8, the data must be scaled using a value of a_i that reflects the maximum search volume observed across *all* topics. Doing so, we find that search volume for climate-change topics is approximately double that observed for conservation topics in recent years (apart from "Extinction"; Figure 1b).

Furthermore, the rapid growth of search engine use over time means that the absolute number of searches is likely to have increased for any topic, independently of public interest. Given this, a more reasonable assessment of how public interest for conservation topics has changed might be achieved by comparing the rate of change across topics (Nghiem *et al.* 2016). Calculating the ratio between searches for conservation topics and searches for the topic "climate change", we find results are not constant over time. The ratio decreases for all terms between 2004 and 2007, and again after 2014, indicating that searches for "climate change" took prominence in relation to conservation topics during these periods (Figure 1c). Repeating the analysis with "global warming" produces similar results, which concur with reports

of an increase in news media attention toward climate-change topics during these periods (Legagneux *et al.* 2018). Overall, our results suggest that temporal changes in public interest toward conservation are different and more nuanced than those presented in Burivalova *et al.* (2018).

In our experience, temporal dynamics of search engine usage are complex, and inferences on changes in public interest derived from such data should be approached with caution. Accounting (or not) for multiple confounding factors such as the growth in internet access, search engine usage, time spent online, and the changing nature of internet usage (eg work versus leisure; see Ficetola [2013]) is likely to produce markedly different results. Furthermore, as Burivalova and colleagues rightly point out, Google

Figure 1. Changes in search volume for conservation and climate-change topics over time. (a) Reproduction of Figure 3 in Burivalova *et al.* (2018), where dashed lines represent original search volume obtained from Google Trends and solid lines represent adjusted search volume using the method proposed by Burivalova *et al.* (2018). (b) Search volume data adjusted according to our proposed method, which accounts for differences in search volume across topics. (c) The monthly proportion of absolute searches for conservation topics (color key same as in [a]) in relation to climate change, indicated by the thin solid lines, and underlying significant temporal trends, indicated by thick solid lines. The dashed line indicates a similar search volume for conservation topics and climate change; values above the dashed line indicate higher volume of searches for conservation topics and vice versa. Points of change in the temporal trends were identified using package "strucchange" and statistically non-zero trends (***, $P < 0.001$) were estimated using generalized linear models in R software v.3.4.2 (R Core Team 2017).

Trends data present an additional challenge in this context because the raw data are unavailable due to proprietary constraints. Moreover, considering only a single data source may produce a biased view of changes in public interest toward any topic. We believe that combining results from multiple sources (Veríssimo *et al.* 2014; Cooper *et al.* 2019; Jarić *et al.* 2019) – such as different search engines, social media platforms, online news media, Wikipedia page views, internet blogs and forums – is more likely to provide meaningful insights on social and cultural trends.

The exploration of conservation-related topics using digital data sources provides new opportunities for conservation science and practice (Sutherland *et al.* 2018). We are advocates of such potential (Di Minin *et al.* 2015; Ladle *et al.* 2016; Soriano-Redondo *et al.* 2017) and actively encourage efforts to positively engage with culturomics methods for the benefit of conservation. We have also faced challenges and limitations associated with these methods including, for example, issues of semantic complexity, language dynamics, and data collection and curation (Ladle *et al.* 2016), and have been careful to elucidate them. Our research has aimed to offer practical solutions to some of these challenges (Jarić *et al.* 2016; Correia *et al.* 2018; Roll *et al.* 2018), and we have recently established a Conservation Culturomics working group within the Society for Conservation Biology. This group embodies our belief in open collaboration, and we hope it will facilitate knowledge-sharing and collaborative efforts to overcome challenges through a welcoming, supportive, and stimulating environment. We encourage all interested parties to join this endeavor toward advancing digital methods for conservation.

Ricardo A Correia^{1,2*†}, **Enrico Di Minin**^{3,4,5†}, **Ivan Jarić**^{6,7†}, **Paul Jepson**^{8†}, **Richard Ladle**^{2†}, **John Mittermeier**^{8†}, **Uri Roll**^{9†}, **Andrea Soriano-Redondo**^{10,11,12†}, and **Diogo Veríssimo**^{13,14,15†}

¹DBIO & CESAM-Centre for Environmental and Marine

Studies, University of Aveiro, Campus Universitário de Santiago, Aveiro, Portugal; ²*Institute of Biological and Health Sciences, Federal University of Alagoas, Maceió, Brazil* *(rahc85@gmail.com); ³*Department of Geosciences and Geography, University of Helsinki, Helsinki, Finland;* ⁴*Helsinki Institute of Sustainability Science, University of Helsinki, Helsinki, Finland;* ⁵*School of Life Sciences, University of KwaZulu-Natal, Durban, South Africa;* ⁶*Biology Centre of the Czech Academy of Sciences, Institute of Hydrobiology, České Budějovice, Czech Republic;* ⁷*University of South Bohemia, Faculty of Science, Department of Ecosystem Biology, České Budějovice, Czech Republic;* ⁸*School of Geography and the Environment, University of Oxford, Oxford, UK;* ⁹*Mitrani Department of Desert Ecology, The Jacob Blaustein Institutes for Desert Research, Ben-Gurion University of the Negev, Midreshet Ben-Gurion, Israel;* ¹⁰*Centre for Ecology and Conservation, College of Life and Environmental Sciences, University of Exeter, Cornwall Campus, UK;* ¹¹*CIBIO/InBio, Centro de Investigação em Biodiversidade e Recursos Genéticos, Laboratório Associado, Universidade do Porto, Portugal;* ¹²*CIBIO/InBio, Centro de Investigação em Biodiversidade e Recursos Genéticos, Laboratório Associado, Instituto Superior de Agronomia, Universidade de Lisboa, Portugal;* ¹³*Department of Zoology, University of Oxford, Oxford, UK;* ¹⁴*Oxford Martin School, University of Oxford, Oxford, UK;* ¹⁵*San Diego Zoo Institute for Conservation Research, Escondido, CA;* [†]*all authors contributed equally to this work*

Burivalova Z, Butler RA, and Wilcove DS. 2018. Analyzing Google search data to debunk myths about the public's interest in conservation. *Front Ecol Environ* **16**: 509–14.

Cooper MW, Di Minin E, Hausmann A, *et al.* 2019. Developing a global indicator for Aichi Target 1 by merging online data sources to measure biodiversity awareness and engagement. *Biol Conserv* **230**: 29–36.

Correia RA, Jarić I, Jepson P, *et al.* 2018. Nomenclature instability in species culturomic assessments: why synonyms matter. *Ecol Indic* **90**: 74–78.

Di Minin E, Tenkanen H, and Toivonen T. 2015. Prospects and challenges for social media data in conservation science. *Front Environ Sci* **3**: 63.

Ficetola GF. 2013. Is interest toward the environment really declining? The complexity of analysing trends using internet search data. *Biodivers Conserv* **22**: 2983–88.

Jarić I, Correia RA, Roberts DL, *et al.* 2019. On the overlap between scientific and societal taxonomic attentions – insights for conservation. *Sci Tot Environ* **648**: 772–78.

Jarić I, Courchamp F, Gessner J, *et al.* 2016. Data mining in conservation research using Latin and vernacular species names. *PeerJ* **4**: e2202.

Ladle RJ, Correia RA, Do Y, *et al.* 2016. Conservation culturomics. *Front Ecol Environ* **14**: 270–76.

Legagneux P, Casajus N, Cazelles K, *et al.* 2018. Our house is burning: discrepancy in climate change vs biodiversity coverage in the media as compared to scientific literature. *Front Ecol Evol* **5**: 175.

McCallum ML and Bury GW. 2013. Google search patterns suggest declining interest in the environment. *Biodivers Conserv* **22**: 1355–67.

Nghiem LTP, Papworth SK, Lim FKS, *et al.* 2016. Analysis of the capacity of Google Trends to measure interest in conservation topics and the role of online news. *PLoS ONE* **11**: e0152802.

R Core Team. 2017. R: a language and environment for statistical computing. Vienna, Austria: R Foundation for Statistical Computing.

Roll U, Correia RA, and Berger-Tal O. 2018. Using machine learning to disentangle homonyms in large text corpora. *Conserv Biol* **32**: 716–24.

Soriano-Redondo A, Bearhop S, Lock L, *et al.* 2017. Internet-based monitoring of public perception of conservation. *Biol Conserv* **206**: 304–09.

Sutherland WJ, Butchart SHM, Connor B, *et al.* 2018. A 2018 horizon scan of emerging issues for global conservation and biological diversity. *Trends Ecol Evol* **33**: 47–58.

Troumbis AY. 2017. Declining Google Trends of public interest in biodiversity: semantics, statistics or traceability of changing priorities? *Biodivers Conserv* **26**: 1495–505.

Veríssimo D, MacMillan DC, Smith RJ, *et al.* 2014. Has climate change taken prominence over biodiversity conservation? *BioScience* **64**: 625–29.