

<https://helda.helsinki.fi>

Accessions to the Botanical Museum of the Finnish Museum of Natural History, University of Helsinki, in 2019

Piirainen, Mikko

2020-12-28

Piirainen , M , Laaka-Lindberg , S , Salo , P & Velmala , S 2020 , ' Accessions to the Botanical Museum of the Finnish Museum of Natural History, University of Helsinki, in 2019 ' , Memoranda Societatis pro Fauna et Flora Fennica , vol. 96 , pp. 79-82 .

<http://hdl.handle.net/10138/326536>

unspecified
publishedVersion

Downloaded from Helda, University of Helsinki institutional repository.

This is an electronic reprint of the original article.

This reprint may differ from the original in pagination and typographic detail.

Please cite the original version.

Accessions to the Botanical Museum of the Finnish Museum of Natural History, University of Helsinki, in 2019

Mikko Piirainen, Sanna Laaka-Lindberg, Pertti Salo & Saara Velmala

Piirainen, M., Laaka-Lindberg, S., Salo, P. & Velmala, S., Botany Unit, Finnish Museum of Natural History, P.O. Box 7, FI-00014 University of Helsinki, Finland. mikko.piirainen@helsinki.fi

The herbarium accessions amount to 16,863 specimens, including 3,808 phanerogams and pteridophytes, 500 specimens of bryophytes, 12 specimens of algae, 9,692 specimens of fungi, 2,844 specimens of lichens and 7 specimens of zooecidia. Some details of noteworthy accessions are given here.

The accessions comprise 16,863 specimens incorporated in the Botanical Museum of the Finnish Museum of Natural History, University of Helsinki (acronym H) in 2019 (3,815 specimens in the Vascular Plant Herbaria, 500 specimens in the Bryological Herbaria, 12 specimens in the Algal Herbarium and 12,536 specimens in the Mycological Herbaria). The material has been received from the staff of the Museum and from other institutions, and as donations from private persons, or their reliquiae (marked "reliq."). The Botanical Museum offers the sincerest thanks to all donors. A considerable number of specimens has been obtained by exchange ("e"). The total number of specimens in the systematic collections of H at the end of 2019 was 3,393,629; 1,718,657 of them are phanerogams, 94,751 pteridophytes, 2,509 zooecidia, 622,216 bryophytes, 25,836 algae, 457,624 lichenized fungi and 472,036 non-lichenized fungi (including bacteria and viruses). The herbarium (HFR) of the former Forest Research Institute, Helsinki, was donated to H in 2016 by its later owner Natural Resources Institute Finland (Luke). The specimens will be incorporated into the systematic collections during several years, and are here marked as Helsinki, HFR.

Some details of the most noteworthy accessions are given below. The italicised abbrevia-

tions *Al*, *Ab*, *N*, etc. in the lists refer to the biogeographic provinces of East Fennoscandia (map in Uotila et al., Memoranda Soc. Fauna Flora Fennica 77: 14. 2001) and *Ög*, *Upl*, *Tr*, *VFi* etc. to the biogeographic provinces of Sweden and Norway (map on the back cover of Jonsell, B., ed., Flora Nordica. 2000–). Abbreviations in capital letters used for the herbaria are according to Index Herbariorum, I: The Herbaria of the World (sweetgum.nybg.org/science/ih/).

Among the accessions the various systematic groups are represented as follows:

| | East Fennoscandian Herbaria | General Herbaria | Total |
|-----------------------------------|-----------------------------|------------------|---------------|
| Vascular plants team | | | |
| Pteridophytes | 62 | 106 | 168 |
| Spermatophytes | 1,746 | 1,894 | 3,640 |
| Zooecidia | 2 | 5 | 7 |
| Bryology and Mycology team | | | |
| Bryophytes | 264 | 236 | 500 |
| Algae | 12 | – | 12 |
| Lichenized fungi | 823 | 2,021 | 2,844 |
| Non-lichenized fungi | 4,813 | 4,879 | 9,692 |
| Total | 7,722 | 9,141 | 16,863 |

Vascular Plant Herbaria

East Fennoscandian Herbarium

21, *Ab-Ta*; Ahokas, H. – 26, incl. Russia (*Ka, Kon*); Ahti, T. – 107, mainly *Ta, Hieracium, Pilosella*; Alén, H. – 93, mainly *Al, N*; Hægström, C.-A. – 52, *Al*; Hægström, E. (reliq.) – 45, *N, Ta, Sa, Lkk*; Haikonen, V. – 28, *Utricularia*; Helsinki, HEL – 40, *Elatine*; Helsinki, HSI – 25, mainly rare neophytes and casuals; Hietanen, T. – 72, *Ab-Sa, Obu, Le*; Kämäräinen, H. – 41, *Ka, Ta*, mainly rare neophytes and casuals; Kiviniemi, A. – 26, mainly *N*; Koistinen, J. – 31, *Hieracium*, Russia (*Kk, Lim*); Moscow, MW – 25, *Al*; Pennanen, J. – 35, mainly *N*, Russia (*Kpor*); Piirainen, M. – 30, *Kb, Lkk*; Pulkkinen, L. – 25, *Ab*; Pykälä, J. – 206, *Ta* (Pälkäne), mainly *Hieracium, Ranunculus auricomus* group s. lat.; Ranta, Y. – 311, mainly *Taraxacum*; Räsänen, J. – 73, mainly *Taraxacum*; Sennikov, A. – 29, (mainly e); Stockholm, S – 171, mainly voucher specimens for Luomus Genomic Resources Collection; Väre, H.

Small numbers of specimens have been received from: Alanko, P.; Erkamo, V. (reliq); Ervasti, E.; Espoo, Tapiolan lukio; Fitzgerald, H.; Hällfors, M.; Hälvä, S.; Harmaja, H.; Hiltunen, L.; Höijer, P.; Hyvärinen, M.; Jallas, J. (reliq.); Jutila, H.; Järvinen, V.; Kääntönen, M.; Kalliola, R. (reliq.); Kanerva, A.; Kerppola, S.; Kettunen, T.; Kosonen, A.; Kotanen, E.; Kravchenko, A.; Kukkonen, I.; Mäkinen, J.; Martikainen, M.; Niinimäki, H.; Ojanne, M.; Österblom, I.; Parkko, P.; Pihlaja, K.; Puranen, L.; Rajala, T.; Rintanen, T.; Saarinen, K.; Salo, P.; Särkkä, J.; Savola, J. (reliq.); Savolainen, H.; Schildt, H.; Schulman, L.; Skytén, R.; St. Petersburg, LE; Suominen, J.; Suutari, A.; Timonen, J.; Tolonen, A.; Turku, TUR; Uotila, P.; Valta, A. (reliq.); Valtonen, P.; Varis, K.; Vasari, Y. (reliq.); Widén, C.-J.; Winberg, L.; Vuori, A.; Vuorinen, E.; Vuorisalo-Tiitinen, S.

Zooecidia. – Small numbers of specimens have been received from: Hægström, C.-A.; Helsinki, HFR

General Herbarium

357, mainly Canada, Japan, Russia (Asia); Ahti, T. – 32, Estonia; Alanko, P. – 118, mainly Cyprus, Sweden; Hægström, C.-A. – 244, mainly France, Hungary, Switzerland; Juva, M. (reliq.) – 29, mainly Czech Republic, Italy; Leiden, L – 34, mainly Russia (Europe, Arkhangelsk Region); Piirainen, M. – 85, Sweden, mainly *Taraxacum*; Räsänen, J. – 71, Finland (cult.); Saarinen, J. – 315, Estonia; Savola, J. (reliq.) – 348, Cherepanov: *Plantae Vasculares Rossicae et Civitatum Collimitaneorum* 29: 7451–7550, 30: 7801–7850, mainly Kyrgyzstan, Ukraine, Russia (Europe), Russia (Asia); St. Petersburg, LE – 110, mainly Denmark (excl. Faroes and Greenland), Norway, Sweden; incl. isotype of *Polygonum aviculare* subsp. *excelsius*, isoneotype of *Salix purpurea*; Stockholm, S (mainly e) – 65, mainly Finland, Portugal (excl. Azores and Madeira); Väre, H.

Small numbers of specimens have been received from: Ahokas, H.; Cajander, A.K. (reliq.); Canberra, CANB; Espoo, Tapiolan lukio; Finnish Botanical Expedition to West-Central Asia 1972; Fitzgerald, H.; Forsskähl, B.; Fröhner, S.E.; Habibi, F.; Haikonen, V.; Hamina, Haminan lukio; Helsinki, HSI; Hyvärinen, A.; Johnsen, J.I.; Kalela, A. (reliq.); Kalska, E.; incl. isotype of *Talbotiella cheekii*, Kew, K (e); Komulainen, A.; Korolkova, E.O.; Kovalchuk, A.; Kukkonen, I.; Kämäräinen, H.; Lahti, Lahden yhteiskoulu; Linkola, K. (reliq.); incl. isotype of *Chenopodium luteorubrum*, Lomonosova, M.; Luna, L.; Lund, LD (e); McCarthy, J.; Nieminen, N.; Nyman, L.; Piispala, E.; Prague, PRC (e); Pulkkinen, L.; Pyhälä, M.; Rikkinen, J.; Rio de Janeiro, RB; Saarinen, K.; Salmi, V. (reliq.); Seppälä, M.; Umeå, UME; Varis, K.; Vienna, W

Zooecidia. Small numbers of specimens have been received from: Cajander, A.K. (reliq.)

Bryological and Algal Herbaria

East Fennoscandian Herbarium

Bryophytes. – 154, *Lks*; Hamari, S. – 37, incl. Russia (East Fennoscandia); Helsinki, HFR – 21, *A, Kb, Obu*, Koponen, T.

Small numbers of specimens have been received from: Ahti, T.; Bell, N.; Ervasti, E.; Harmaja, H.; Heikkilä, R.; Isoviita, P. (reliq.); Koponen, J.S.W. (reliq.); Kytökari, E. (reliq.); Kytövuori, I.; Lehtola, V.B. (reliq.); Manninen, O.; Mikkola, R.; Pakarinen, P. (reliq.); Piirainen, M.; Vitikainen, O.

Algae. Small numbers of specimens have been received from: Harmaja, H.; Räsänen, J.

General Herbarium

Bryophytes. – 21, Papua New Guinea; Koponen, T. – 23, Papua New Guinea, Solomon Islands, South Africa; Leiden, L (e) – 52, Vietnam; Luong, T.T. – 23, Chile, Thailand; St. Louis, MO (e) – 63, Chile, China, Costa Rica, Mexico, São Tomé and Príncipe, United States; San Francisco, CAS (e) – 25, Japan; Higuchi: *Bryophyta Selecta Exsiccata* 40: 1476–1500; Tsukuba, TNS (e)

Small numbers of specimens have been received from: Ahti, T.; Andrus, R.E.; Botch, M. (reliq.); Crum, H.A. (reliq.); Häyrén-Malmström, A.-M. (reliq.); Heikkilä, R.; Müller, K.; Norris, D.H. (reliq.); St. Petersburg, LE (e); Väre, H.

Mycological Herbaria

East Fennoscandian Herbaria

Lichenized Fungi. – 79, *Al, N, Ta, Kb, Ok, Ks, Li*, Russia (*Kpor*); Ahti, T. – 22, *Ab, N, Ta, Sa, Tb, Kb, Ok*, incl. holotypes of *Micarea fallax*, *Micarea fennica*, *Micarea pusil-*

The main collection areas of the material received in 2019:

| | Spermatophyta | Pteridophyta | Bryophyta | Algae | Lichenized Fungi | Other Fungi | Zooecidae | Total |
|--------------------------------------|---------------|--------------|------------|-----------|------------------|--------------|-----------|---------------|
| Finland | 1,654 | 59 | 242 | 12 | 607 | 4,736 | 2 | 7,312 |
| Russia (Asia) | 247 | 3 | 1 | 0 | 351 | 1,071 | 5 | 1,678 |
| Russia (Europe) | 91 | 2 | 2 | 0 | 108 | 1,262 | 0 | 1,465 |
| Sweden | 209 | 2 | 1 | 0 | 33 | 877 | 0 | 1,122 |
| Canada | 176 | 12 | 3 | 0 | 774 | 52 | 0 | 1,017 |
| United States | 35 | 2 | 54 | 0 | 143 | 728 | 0 | 962 |
| Estonia | 366 | 4 | 0 | 0 | 35 | 437 | 0 | 842 |
| Russia (East Fennoscandia) | 93 | 3 | 22 | 0 | 216 | 77 | 0 | 411 |
| Norway | 59 | 1 | 0 | 0 | 88 | 261 | 0 | 409 |
| Brazil | 1 | 0 | 0 | 0 | 218 | 16 | 0 | 235 |
| Finland (cultivated) | 141 | 0 | 0 | 0 | 0 | 0 | 0 | 141 |
| France | 105 | 0 | 1 | 0 | 2 | 32 | 0 | 140 |
| Hungary | 79 | 0 | 0 | 0 | 5 | 0 | 0 | 84 |
| Japan | 21 | 0 | 0 | 0 | 63 | 0 | 0 | 84 |
| Poland | 2 | 0 | 0 | 0 | 6 | 60 | 0 | 68 |
| Denmark (excl. Faroes and Greenland) | 64 | 0 | 1 | 0 | 0 | 1 | 0 | 66 |
| Switzerland | 52 | 1 | 0 | 0 | 1 | 3 | 0 | 57 |
| Vietnam | 0 | 0 | 52 | 0 | 0 | 0 | 0 | 52 |
| Venezuela | 0 | 0 | 1 | 0 | 35 | 2 | 0 | 38 |
| Kenya | 0 | 13 | 0 | 0 | 1 | 20 | 0 | 34 |
| Ecuador | 0 | 0 | 0 | 0 | 28 | 0 | 0 | 28 |
| United Kingdom | 7 | 0 | 0 | 0 | 19 | 2 | 0 | 28 |
| Germany | 15 | 0 | 2 | 0 | 3 | 6 | 0 | 26 |
| Italy | 6 | 17 | 0 | 0 | 2 | 1 | 0 | 26 |
| Cuba | 1 | 23 | 0 | 0 | 1 | 0 | 0 | 25 |
| Kyrgyzstan | 25 | 0 | 0 | 0 | 0 | 0 | 0 | 25 |
| Papua New Guinea | 0 | 0 | 25 | 0 | 0 | 0 | 0 | 25 |
| Portugal (Azores) | 0 | 0 | 0 | 0 | 18 | 7 | 0 | 25 |
| Tajikistan | 25 | 0 | 0 | 0 | 0 | 0 | 0 | 25 |
| Pakistan | 0 | 0 | 24 | 0 | 0 | 0 | 0 | 24 |
| Ukraine | 24 | 0 | 0 | 0 | 0 | 0 | 0 | 24 |
| Mexico | 0 | 0 | 9 | 0 | 13 | 0 | 0 | 22 |
| Cyprus | 20 | 0 | 0 | 0 | 0 | 0 | 0 | 20 |
| other countries | 122 | 26 | 60 | 0 | 74 | 41 | 0 | 323 |
| Total | 3,640 | 168 | 500 | 12 | 2,844 | 9,692 | 7 | 16,863 |

la; Launis, A. – 33, Russia (*Ka, Ik*); St. Petersburg, LECB – 625, Finland, Russia; Helsinki, HFR

Small numbers of specimens have been received from: Halonen, P.; Hämet-Ahti, L.; Harmaja, H.; Hermansson, J.-O.; Hintikka, V.; Jääskeläinen, K.; Julkunen, J.; Juuti-

nen, R.; Kinnunen, J.; Kuusinen, M.; Kytövuori, I.; Manninen, O.; Myllys, L.; Peltonen, L.; Pino Bodas, R.; Rämä, H.; Roukka, M.; Salo, P.; Stenroos, S.; Stepanchikova, I.; Velmala, S.; Weckman, D.

Non-lichenized Fungi. – 59, Russia (Kol); Alanko, P. – 185, mainly *Al*, *N*; Hægström, C.-A. – 571, mainly *Ab* (*N-Li*); Harmaja, H. – 33, *Ab*, *Oa*; Junninen, K. – 63, *N*; Kiema, S. – 48, mainly *Ta*; Kuitunen, T. – 2,092, *Ab-Li*; Kytövuori, I. – 124, *N*, *Ta*, *Ok*, *Obu*, *Lkk*, *Lks*, *Li*, Russia (*Kon*); Manninen, O. – 245, mainly *N*, *Tb*, *Ok*; Miettinen, O. – 75, *Ab*, *N*, *St-Sa*, *Sb*, *Kb*; Penmanen, J. – 34, mainly *Ab*; Pykälä, J. – 21, *Ab*, *N*, *Ta*, *Ok*; Rautavaara, T. (reliq.) – 33, mainly *Sb*; Ruotsalainen, J. (reliq.) – 856, *Al-Li*; Helsinki, HFR – 22, mainly *N*; Väre, H. – 167, *N*; Viner, I.

Small numbers of specimens have been received from: Ahlroth, P.; Ahti, T.; Äikäs, J.; Barkar, T.; Eriksson, I.; Härkönen, M.; Höijer, P.; Jakobsson, S.; Kajavirta, M.; Kalska, E.; Kaukoranta, M.; Kolehmainen, K.; Korhonen, A.; Kotiranta, H.; Kulmala, P.; Kurtze, U.; Kusmin, J.-M.; Kytömäki, J.; Lahti, M.; Lasarov, E.; Leinonen, M.; Lindgren, M.; Mäkelä, M.; Moisaner, M.; Niemelä, T.; Nieminen, J.; Niskanen, T.; Ojala, M.; Oulu, OULU (e); Penttilä, R.; Petrozavodsk, PZV; Pettay, T.; Piipponen, I.; Piirainen, M.; Pulkkinen, M.; Rajamäki, M.; Rättel, E.; Salo, P.; Smolander, E.; Söderholm, U.; Soop, K.; Suominen, J.; Turku, TUR; Uimonen, J.; Uotila, P.; Veräjänkorkva, M.; Veteli, P.; Wikholm, M.

General Herbaria

Lichenized Fungi. – 1,145, mainly Brazil, Canada, Japan, Norway, United States, Venezuela; Ahti, T. – 21, mainly United Kingdom, incl. isocototype of *Leptogium lacerum* var. *filiforme*; London, BM (e) – 50, Canada, Jamaica; Maass, W.S.G. (reliq.) – 25, Canada, T. McMullin & L. Sharp: Lichens of Canada Exsiccata 1: 1–25; Ottawa, CANL (e) – 20, Portugal (Azores), Spain; Pino Bodas, R. – 28, Ecuador, incl. isotype of *Cladonia bungartzii*; Puerto Ayora, CDS – 21, Latvia, Russia; St. Petersburg, LE – 382, Russia; St. Petersburg, LECB – 22, United States (Alaska); Talbot, S.S. – 25, Argentina, Estonia; Tartu, TU (e) – 25, Antarctica, Japan, Russia, Ohmura: Lichenes Minus Cogniti Exsiccata 24: 576–600; Tsukuba, TNS (e) – 50,

mainly Sweden, United States, R. Moberg: Lichenes Selecti Exsiccata Upsalienses 1920: 451–500; Uppsala, UPS (e) – 67, mainly Canada; Helsinki, HFR

Small numbers of specimens have been received from: Brackel, W. von; Bronx, NY; Chesnokov, S.; Dahlkild, Å.; Droker, R.; Feuerer, T.; Fryday, A.M.; Graz, GZU; Hensen, A. (reliq.); Högnabba, F.; Inoue, M.; isoneotypes of *Lichen cervinus* and *Lichen fuscatus*, Kocourková, J.; Koponen, T.; Launis, A.; Lewis-Smith, R.I.; Lång, G. (reliq.); Madrid, MACB; isotype of *Peltula rosulata*, Makryi, T.; Manninen, O.; Marcelli, M.P.; McCarthy, J.W.; Meurk, C.D.; Myllys, L.; isotype of *Parmotrema neosubcrintum*, São Paulo, SP; Sipman, H.J.M.; Stenroos, S.; Stepanchikova, I.; Svensson, M.; Tagirdzhanova, G.; Teivainen, L. (reliq.); Tsurykau, A.; Urbanavichene, I.

Non-lichenized Fungi. – 63, mainly Canada, Russia (Asia), United States; Ahti, T. – 33, Russia (Asia); Cañander, A.K. (reliq.) – 680, Russia (Asia); Kotiranta, H. – 1,522, mainly Estonia, Norway, Sweden; Kytövuori, I. – 34, Sweden, Russia (Europe); Manninen, O. – 132, mainly Estonia, Poland, Portugal, Russia (Europe), Miettinen, O. – 2,156, Russia (Europe), Russia (Asia), United States; Spirin, V. – 53, mainly Canada, Estonia, Germany, Norway; Helsinki, HFR – 94, France, Russia (Europe), Russia (Asia); Viner, I.

Small numbers of specimens have been received from: Alanko, P.; Dämmrich, F.; Gdansk, UGDA; Gothenburg, GB (e); Hægström, C.-A.; Hansen, E.; Harmaja, H.; Hausknecht, A.; Högnabba, F.; Höijer, P.; Kämäräinen, H.; Kocourková, J.; Lucas, A.; Maass, W.S.G. (reliq.); Oinonen, P.; Pino Bodas, R.; Rättel, E.; Ruotsalainen, J. (reliq.); Ryvarde, L.; Savchenko, A.; St. Petersburg, LE; Stenroos, S.; Tagirdzhanova, G.; Talbot, S.; Vauras, J.

Acknowledgements: Marja Koistinen had the main technical responsibility for the accessions of vascular plants and algae. She is thanked for her help in compiling the data. Teuvo Ahti is thanked for his comments to the manuscript.